



NOTE: 4" DIAMETER DRAIN PIPE IS PERMITTED WHEN DROP HEIGHT FROM TOP OF TRENCH TO TOP OF PIPE IS GREATER THAN 10". A 6" OR GREATER PIPE IS REQUIRED FOR DROP HEIGHTS LESS THAN 10". DRAIN PIPE MAY NOT BE PERFORATED AND SHOULD BE DAYLIGHTED FREQUENTLY TO ALLOW FOR INCREASED AIRFLOW WITHIN THE PIPE.

MIRAfi H2Ri INTO SLOT CUT EDGE DRAIN
NOT TO SCALE

TENCATE
GEOSYNTHETICS

365 SOUTH HOLLAND DRIVE
PENDERGRASS, GEORGIA 30567
TEL: (706) 693-2226
WWW.TENCATEGEO.US

NOTE: THE STANDARD DETAILS ILLUSTRATED IN THESE DRAWINGS ARE FOR INFORMATION AND EVALUATION PURPOSES ONLY AND ARE NOT FOR CONSTRUCTION. PROJECT SPECIFIC CALCULATIONS, SHOP DRAWINGS AND SPECIFICATIONS, SIGNED AND SEALED BY A REGISTERED LICENSED ENGINEER, ARE REQUIRED FOR CONSTRUCTION.

H2Ri INTO SLOT CUT EDGE DRAIN		EXHIBIT A-1
STANDARD DETAIL NOT FOR CONSTRUCTION		
DATE : 4/6/20		