

Global Sealer Technologies



Issue Date: 08-May-2020

Revision Date: 12-May-2020

Version 1

1. IDENTIFICATION

Product identifier Product Code & Name

GST 523 Elephant Armor DOT Industrial Grade Mortar

Other means of identification SDS # GST-002

Recommended use of the chemical and restrictions on useRecommended UseConcrete Patch and Overlay.

Details of the supplier of the safety data sheet

Manufacturer Address GST International, Inc. 250 Cal Ln. Suite B Sparks, NV 89431 Ph: 775-829-2626 www.gstinternational.com Emergency telephone number Emergency Telephone

INFOTRAC 1-800-535-5053 (North America) 1-352-323-3500 (International) Contract #93918

2. HAZARDS IDENTIFICATION

Appearance Grey granulate

Physical state Solid

Odor Odorless

Classification

| Skin corrosion/irritation | Category 2 |
|--|-------------|
| Serious eye damage/eye irritation | Category 1 |
| Skin sensitization | Category 1 |
| Carcinogenicity | Category 1A |
| Specific target organ toxicity (single exposure) | Category 3 |
| Specific target organ toxicity (repeated exposure) | Category 1 |

<u>Signal Word</u> Danger

Hazard statements

Causes skin irritation Causes serious eye damage May cause an allergic skin reaction May cause cancer May cause respiratory irritation Causes damage to organs through prolonged or repeated exposure



Precautionary Statements - Prevention

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required Wash face, hands and any exposed skin thoroughly after handling Contaminated work clothing must not be allowed out of the workplace Wear protective gloves Use only outdoors or in a well-ventilated area Do not breathe dust/fume/gas/mist/vapors/spray Do not eat, drink or smoke when using this product

Precautionary Statements - Response

If exposed or concerned: Get medical advice/attention IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a poison center or doctor/physician IF ON SKIN: Wash with plenty of water and soap Take off contaminated clothing and wash before reuse If skin irritation or rash occurs: Get medical advice/attention IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Precautionary Statements - Storage

Store locked up Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical name | CAS No | Weight-% |
|-------------------------------|--------------|----------|
| Aluminosilicate Glass | NOT ASSIGNED | 15-35 |
| Silica | 1317-95-9 | 25-50 |
| Calcium Sulfoaluminate Cement | 960375-09-1 | 25-50 |
| Portland cement | 65997-15-1 | 5-15 |
| Silica, Quartz | 14808-60-7 | <2.5 |

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

| General Advice | Provide this SDS to medical personnel for treatment. |
|----------------|---|
| Eye Contact | Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Immediate medical attention is required. |

| Skin Contact | Immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention. | | |
|--|---|--|--|
| Inhalation | Remove exposed individual(s) to fresh air for 20 minutes. Consult a physician/poison center if individual's condition declines or if symptoms persist. | | |
| Ingestion | Rinse mouth. Do not induce vomiting without medical advice. Drink 1 or 2 glasses of water. Never give anything by mouth to an unconscious person. Get medical attention. | | |
| Most important symptoms and effects, both acute and delayed | | | |
| Symptoms | Causes skin irritation and serious eye damage. Coughing. Shortness of breath. May cause an allergic skin reaction. May cause respiratory irritation. | | |
| Indication of any immediate medical attention and special treatment needed | | | |
| | | | |

| Notes to Physician | Pre-existing lung conditions such as, but not limited to bronchitis, emphysema and asthma. |
|--------------------|--|
| | |

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Dry powder, Carbon dioxide (CO2), water fog or foam.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Product is not flammable or combustible.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Use personal protection recommended in Section 8. Ensure adequate ventilation.

Environmental precautions

| Environmental precautions | Clean up leaks/spills immediately to prevent soil or water contamination. See Section 12 for additional Ecological Information. | | |
|--|---|--|--|
| Methods and material for containment and cleaning up | | | |
| Matheada fan Oantalinnant | | | |

| Methods for Containment | Prevent further leakage or spillage if safe to do so. |
|-------------------------|--|
| Methods for Clean-Up | Reclaim where possible. Avoid the generation of dusts during clean-up. Sweep up and shovel into suitable containers for disposal. For waste disposal, see section 13 of the SDS. |

7. HANDLING AND STORAGE

Precautions for safe handling

| Advice on Safe Handling | Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protection recommended in Section 8. Wash face, hands and any exposed skin thoroughly after handling. Do not eat, drink or smoke when using this product. Do not breathe dust. Avoid creating dust. Contaminated work clothing must not be allowed out of the workplace. Use only with adequate ventilation. | | |
|--|---|--|--|
| Conditions for safe storage, including any incompatibilities | | | |

Storage Conditions Store locked up. Keep containers tightly closed in a dry, cool and well-ventilated place.

| Incompatible Materials | Strong oxidizing agents. |
|------------------------|--------------------------|
|------------------------|--------------------------|

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

| Chemical name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|------------------------------|--|--|--|
| Silica 1317-95-9 | TWA: 0.025 mg/m ³ respirable particulate matter | TWA: 50 µg/m ³ excludes construction work, agricultural | IDLH: 50 mg/m ³ respirable dust TWA: 0.05 mg/m ³ respirable |
| | | operations, and exposures that result from the processing of | dust |
| | | sorptive clays (vacated) TWA: 0.1 mg/m³ quartz | |
| | | respirable dust | |
| Portland cement | TWA: 1 mg/m ³ particulate matter | | IDLH: 5000 mg/m ³ |
| 65997-15-1 | crystalline silica, respirable | TWA: 5 mg/m ³ respirable fraction (vacated) TWA: 10 mg/m ³ total | TWA: 10 mg/m ³ total dust TWA: 5 mg/m ³ respirable dust |
| | particulate matter | dust (vacated) TWA: 5 mg/m ³ | |
| | | respirable fraction | |
| | | TWA: 50 mppcf <1% Crystalline | |
| | | silica | 2 |
| Silica, Quartz 14808-60-7 | TWA: 0.025 mg/m ³ respirable particulate matter | TWA: 50 µg/m ³ TWA: 50 µg/m ³ excludes construction work, agricultural operations, and exposures that result from the | IDLH: 50 mg/m ³ respirable dust TWA: 0.05 mg/m ³ respirable dust |
| | | processing of sorptive clays (vacated) TWA: 0.1 mg/m ³ respirable dust | |
| | | : (250)/(%SiO2 + 5) mppcf TWA | |
| | | respirable fraction : (10)/(%SiO2 + 2) mg/m ³ TWA | |
| | | respirable fraction | |

Appropriate engineering controls

Engineering Controls Apply technical measures to comply with the occupational exposure limits. Maintain eye wash fountain and quick-drench facilities in work area. Provide local exhaust ventilation to meet exposure limits.

Individual protection measures, such as personal protective equipment

| Eye/Face Protection | Wear safety glasses with side shields (or goggles). Refer to 29 CFR 1910.133 for eye and face protection regulations. |
|--------------------------|---|
| Skin and Body Protection | Wear protective gloves and protective clothing. Refer to 29 CFR 1910.138 for appropriate skin and body protection. |

Respiratory Protection

If necessary, wear a MSHA/NIOSH-approved respirator. Refer to 29 CFR 1910.134 for respiratory protection requirements.

General Hygiene Considerations Avoid contact with skin, eyes and clothing. After handling this product, wash hands before eating, drinking, or smoking. If contact occurs, remove contaminated clothing. If needed, take first aid action shown on section 4 of this SDS. Launder contaminated clothing before reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

| Physical state Appearance Color | Solid Grey granulate Grey | Odor Odor Threshold | Odorless Not determined |
|--|--|-------------------------|----------------------------|
| <u>Property</u> pH Melting point / freezing point Boiling point / boiling range | Values Not applicable Not determined 999 °C / 1,830.2 °F | <u>Remarks • Method</u> | |
| Flash point Evaporation Rate Flammability (Solid, Gas) Flammability Limit in Air | None Not determined Not determined | | |
| Upper flammability or explosive limits Lower flammability or explosive limits | Not determined | | |
| Vapor Pressure Vapor Density Relative Density Water Solubility | Not determined Not determined Not determined Insoluble in water | | |
| Solubility in other solvents Partition Coefficient Autoignition temperature Decomposition temperature | Not determined Not applicable Product is not self-igniting Not determined | | |
| Kinematic viscosity Dynamic Viscosity Explosive Properties Oxidizing Properties | Not determined Not determined Not determined Not determined | | |

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to Avoid

Keep out of reach of children.

Incompatible materials

Strong oxidizing agents.

Hazardous decomposition products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

| Product Information | |
|-----------------------|--|
| Eye Contact | Causes serious eye damage. |
| Skin Contact | Causes skin irritation. May cause an allergic skin reaction. |
| Inhalation | May cause irritation of respiratory tract. |
| Ingestion | May cause discomfort if swallowed. |
| Component Information | |

Not available

Symptoms related to the physical, chemical and toxicological characteristics

| - | | |
|-----|-------|--|
| Svm | ptoms | |

Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity

May cause cancer.

| Chemical name | ACGIH | IARC | NTP | OSHA |
|------------------------------|-------|---------|-------|------|
| Silica 1317-95-9 | A2 | Group 1 | Known | Х |
| Silica, Quartz 14808-60-7 | A2 | Group 1 | Known | X |

Legend

 ACGIH (American Conference of Governmental Industrial Hygienists)

 A2 - Suspected Human Carcinogen

 IARC (International Agency for Research on Cancer)

 Group 1 - Carcinogenic to Humans

 NTP (National Toxicology Program)

 Known - Known Carcinogen

 OSHA (Occupational Safety and Health Administration of the US Department of Labor)

 X - Present

 STOT - single exposure

STOT - repeated exposure Causes damage to organs through prolonged or repeated exposure.

Chronic toxicity Silicosis is a progressive fibrotic pneumoconiosis which greatly decreases the ability of the lungs to provide oxygen (decreased pulmonary capacity). The extent and severity of lung injury depends on a variety of factors including particle size, percentage of silica, natural resistance, dust concentration and length of exposure. The damaged lungs will become increasingly less able to provide the body with oxygen causing tiredness, shortness of breath, decreased capacity to work, and can result in death by cardiac failure or by the destruction of lung tissue. Persons who develop silicosis have greatly increased risks of developing tuberculosis and workers who are exposed to crystalline silica and smoke have increased risks of lung damage. Silicosis may progress in the absence of continued exposure.

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document No values to calculate.

12. ECOLOGICAL INFORMATION

Ecotoxicity

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Component Information

Not available

Persistence/Degradability

Not determined.

Bioaccumulation

There is no data for this product.

Mobility

Not determined

Other Adverse Effects

Not determined

| 13. DISPOSAL CONSIDERATIONS | | | | |
|-----------------------------|---|--|--|--|
| Waste Treatment Methods | | | | |
| Disposal of Wastes | Disposal should be in accordance with applicable regional, national and local laws and regulations. | | | |
| Contaminated Packaging | Disposal should be in accordance with applicable regional, national and local laws and regulations. | | | |
| | 14. TRANSPORT INFORMATION | | | |
| <u>Note</u> | Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances. | | | |
| <u>DOT</u> | Not regulated | | | |
| IATA | Not regulated | | | |
| IMDG | Not regulated | | | |

15. REGULATORY INFORMATION

International Inventories

| Chemical name | TSCA | TSCA Inventory Status | DSL/NDSL | EINECS/ELI NCS | ENCS | IECSC | KECL | PICCS | AICS |
|-----------------|------|--------------------------|----------|-------------------|------|-------|------|-------|------|
| Silica | | | | | | Х | Х | Х | Х |
| Portland cement | Х | ACTIVE | Х | Х | | Х | Х | | Х |
| Silica, Quartz | Х | ACTIVE | Х | Х | Х | Х | Х | Х | Х |

Legend:

 $\textbf{TSCA} \ \ \text{-United States Toxic Substances Control Act Section 8(b) Inventory}$

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

<u>CERCLA</u>

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

| Chemical name | California Proposition 65 | |
|-----------------------------|---------------------------|--|
| Silica - 1317-95-9 | Carcinogen | |
| Silica, Quartz - 14808-60-7 | Carcinogen | |

U.S. State Right-to-Know Regulations

| Chemical name | New Jersey | Massachusetts | Pennsylvania |
|-------------------------------|------------|---------------|--------------|
| Silica 1317-95-9 | X | X | Х |
| Portland cement 65997-15-1 | X | X | Х |
| Silica, Quartz 14808-60-7 | X | X | Х |

16. OTHER INFORMATION

| <u>NFPA</u> | Health Hazards | Flammability ∩ | Instability | Special Hazards |
|---|---------------------------------|-------------------|------------------|---------------------------------------|
| HMIS | Health Hazards | Flammability | Physical hazards | Personal Protection Not determined |
| Chronic Hazard Star Lege | and * = Chroni | ic Health Hazard | · | |
| Issue Date: Revision Date: Revision Note: | 08-May-2 12-May-2 New pro | 2020 | | |

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet